



MAY 2 2 2003 TECH CENTER 1600/2900

TPE Place type a plus sign (+) in this box

+

Approved for use through 9-30-00-OMB 0651-0031
Patent and Trademark Office - U.S. DEPARTMENT OF COMMERC E.
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

Addition Form 1449/PTO

3. TANDEN

Form 1449/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary)

Application Number	10/038,854
Filing Date	12/31/01
First Named Inventor	Spytek
Group Art Unit	1616-[63]
Examiner Name	Not Yet Assigned Ly
Attorney Docket Number	21402-230

U.S. PATENT DOCUMENTS							
Exam Initials	Cite No.	U.S. Patent Document No.	Issue Date	Name of Patentee(s) or Applicant(s)	Class	Sub Class	Filing Date If Appropriate

	FOREIGN PATENT DOCUMENTS							
Exam Initials	Cite No.	Foreign Patent Document Office Number	Name of Patentee(s) or Applicant(s)	Date of Publication	Translation Yes No			

	OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS						
Exam nitials Cite No. Name of Author, Title (when appropriate), Publication, Volume, Page(s), Date, Etc.							
COL	C278	Anderson, et al. (1991). "Cloning and expression of cDNA encoding human lysosomal acid lipase/cholesteryl ester hydrolase." <i>JBC</i> 266(33): 22479-84.					
	C279	International Search Report for PCT/US01/49976, mailed March 3, 2003.					


* a copy o	f this reference is not provided as it was	previously cited by or submitted to the office in a prior application
Serial No.	, filed	, and relied upon for an earlier filing date under
35 U.S.C.	§120 (continuation, continuation-in-part	t, and divisional applications).

Examiner Signature	Chur	Date Considered	11/06/03
-----------------------	------	--------------------	----------

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered.

Include copy of this form with next communication to applicant.

TRA 1796458vI



RECEIVED!

ਜ਼ਮਤ 1 8 2002

type a plus sign (+) in this box +

TECH CENTER 1600/2800

Approved for use through 9/30/00 OMB 0651-0031

Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

APP, 100 B

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary)

Application Number	10/038,854			
Filing Date	12/31/01			
First Named Inventor	Spytek			
Group Art Unit	1616 1631			
Examiner Name	-Not-Yet Assigned Ly			
Attorney Docket Number	21402-230			

Exam Initials	Cite No.	U.S. Patent Document No.	Issue Date	Name of Patentee(s) or Applicant(s)	Class	Sub Class	Filing Date If Appropriate
				FOREIGN PATENT DOCUMENTS			

U.S. PATENT DOCUMENTS

	FOREIGN PATENT DOCUMENTS						
Exam Initials	Cite No.	Foreign Patent Document Office Number	Name of Patentee(s) or Applicant(s)	Date of Publication	Translation Yes No		

·		OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS					
Exam Initials	Cite No.						
GBr	C1	Amouyel, et al. (1994). "The apolipoprotein E alleles as major susceptibility factors for Creutzfeldt- Jakob disease. The French Research Group on Epidemiology of Human Spongiform Encephalopathies." Lancet 344(8933): 1315-8.					
	C2	Anchors, et al. (1986). "ApoE deficiency: markedly decreased levels of cellular ApoE mRNA." <i>Biochem Biophys Res Commun</i> 134(2): 937-43.					
	C3	Appella, et al. (1988), "Structure and function of epidermal growth factor-like regions in proteins." FEBS Left 231(1): 1-4.					
	C4	Asada, et al. (1996). "ApoE epsilon 4 allele and cognitive decline in patients with Alzheimer's disease." Neurology 47(2): 603.					
	C5	Barker, et al. (1986). "[Similar domains in different proteins: detection and significance]." Tanpakushitsu Kakusan Koso(29 Suppl): 54-68.					
	C6	Baumgartner and Chiquet-Ehrismann (1993). "Tena, a Drosophila gene related to tenascin, shows selective transcript localization." <i>Mech Dev</i> 40(3): 165-76.					
	C7	Baumgartner, et al. (1994). "Tenm, a Drosophila gene related to tenascin, is a new pair-rule gene." Embo J 13(16): 3728-40.					
	C8	Bennett, et al. (1995). "Evidence that the APOE locus influences rate of disease progression in late onset familial Alzheimer's Disease but is not causative." Am J Med Genet 60(1): 1-6.					
	C9	Bersot, et al. (1983). "Cholesteryl ester accumulation in mouse peritoneal macrophages induced by beta-migrating very low density lipoproteins from patients with atypical dysbetalipoproteinemia." <i>J Clin Invest</i> 72(3): 1024-33.					
	C10	Betard, et al. (1994). "Apo E allele frequencies in Alzheimer's disease, Lewy body dementia, Alzheimer's disease with cerebrovascular disease and vascular dementia." Neuroreport 5(15): 1893-6.					
	C11	Bickeboll r, et al. (1997). "Apolipoprotein E and Alzh imer disease: genotype-sp cific risks by ag and sex." Am J Hum Genet 60(2): 439-46.					
	C12	Blennow, et al. (1994). "Cerebrospinal fluid apolipoprotein E is reduced in Alzheimer's disease." Neuroreport 5(18): 2534-6.					

TECH PENTED.

		OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS
Exam Initials	Cite No.	Name of Author, Title (when appropriate), Publication, Volume, Page(s), Date, Etc.
COL C13		Blesa, et al. (1996). "High apolipoprotein E epsilon 4 allele frequency in age-related memory decline." Ann Neurol 39(4): 548-51.
	C14	Blomquist, et al. (1984). "Vaccinia virus 19-kilodalton protein: relationship to several mammalian proteins, including two growth factors." <i>Proc Natl Acad Sci U S A</i> <u>81</u> (23): 7363-7.
	C15	Boerwinkle and Utermann (1988). "Simultaneous effects of the apolipoprotein E polymorphism on apolipoprotein E, apolipoprotein B, and cholesterol metabolism." Am J Hum Genet 42(1): 104-12.
	C16	Boisvert, et al. (1995). "Treatment of severe hypercholesterolemia in apolipoprotein E-deficient mice by bone marrow transplantation." <i>J Clin Invest</i> <u>96(2)</u> : 1118-24.
	C17	Borgaonkar, et al. (1993). "Linkage of late-onset Alzheimer's disease with apolipoprotein E type 4 on chromosome 19." Lancet 342(8871): 625.
	C18	Breslow, et al. (1982). "Studies of familial type III hyperlipoproteinemia using as a genetic marker the apoE phenotype E2/2." J Lipid Res 23(8): 1224-35.
	C19	Brown and Goldstein (1983). "Lipoprotein receptors in the liver. Control signals for plasma cholesterol traffic." <i>J Clin Invest</i> 72(3): 743-7.
	C20	Brown and Goldstein (1992). "Koch's postulates for cholesterol." Cell 71(2): 187-8.
	C21	Brown, et al. (1981). "Regulation of plasma cholesterol by lipoprotein receptors." <i>Science</i> 212(4495): 628-35.
	C22	Chappell (1989). "High receptor binding affinity of lipoproteins in atypical dysbetalipoproteinemia (type III hyperlipoproteinemia)." <i>J Clin Invest</i> 84(6): 1906-15.
	C23	Cladaras, et al. (1987). "The molecular basis of a familial apoE deficiency. An acceptor splice site mutation in the third intron of the deficient apoE gene." <i>J Biol Chem</i> <u>262(5)</u> : 2310-5.
	C24	Corbo and Scacchi (1999). "Apolipoprotein E (APOE) allele distribution in the world. Is APOE*4 a 'thrifty' allele?" <i>Ann Hum Genet</i> 63(Pt 4): 301-10.
	C25	Corder, et al. (1993). "Gene dose of apolipoprotein E type 4 allele and the risk of Alzheimer's disease in late onset families." <i>Science</i> 261(5123): 921-3.
	C26	Corder, et al. (1994). "Protective effect of apolipoprotein E type 2 allele for late onset Alzheimer disease." Nat Genet 7(2): 180-4.
	C27	D'Arcangelo, et al. (1995). "A protein related to extracellular matrix proteins deleted in the mouse mutant reeler." <i>Nature</i> 374(6524): 719-23.
	C28	Das, et al. (1985). "Isolation, characterization, and mapping to chromosome 19 of the human apolipoprotein E gene." <i>J Biol Chem</i> 260(10): 6240-7.
	C29	Davis (1990). "The many faces of epidermal growth factor repeats." New Biol 2(5): 410-9.
	C30	de Knijff, et al. (1991). "Familial dysbetalipoproteinemia associated with apolipoprotein E3- Leiden in an extended multigeneration pedigree." <i>J Clin Invest</i> <u>88</u> (2): 643-55.
	C31	Doolittle, et al. (1984). "Computer-based characterization of epidermal growth factor precursor." <i>Nature</i> 307(5951): 558-60.
	C32	Egensperger, et al. (1996). "The apolipoprotein E epsilon 4 allele in Parkinson's disease with Alzheimer lesions." Biochem Biophys Res Commun 224(2): 484-6.
	C33	Erickson (1993). "Tenascin-C, tenascin-R and tenascin-X: a family of talented proteins in search of functions." Curr Opin Cell Biol 5(5): 869-76.
	C34	Eto, et al. (1989). "Increased frequencies of apolipoprotein epsilon 2 and epsilon 4 alleles in patients with ischemic heart disease." Clin Genet 36(3): 183-8.
	C35	Farrer, et al. (1995). "Allele epsilon 4 of apolipoprotein E shows a dose effect on age at onset of Pick disease." Exp Neurol 136(2): 162-70.
	C36	Ferraris, et al. (1994). "Cloning, genomic organization, and osmotic response of the aldose reductase gene." <i>Proc Natl Acad Sci U S A</i> 91(22): 10742-6.
	C37	Feussner, et al. (1996). "Unusual xanthomas in a young patient with heterozygous familial

		OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS
Exam Initials	Cite No.	Name of Author, Title (when appropriate), Publication, Volume, Page(s), Date, Etc.
con		hypercholesterolemia and type III hyperlipoproteinemia." Am J Med Genet 65(2): 149-54.
\int	C38	Fleming, et al. (1997). "Serrate-mediated activation of Notch is specifically blocked by the product of the gene fringe in the dorsal compartment of the Drosophila wing imaginal disc." <i>Development</i> 124(15): 2973-81.
	C39	Friedman, et al. (1999). "Apolipoprotein E-epsilon4 genotype predicts a poor outcome in survivors of traumatic brain injury." <i>Neurology</i> <u>52(2)</u> : 244-8.
	C40	Frisoni, et al. (1994). "Apolipoprotein E epsilon 4 allele frequency in vascular dementia and Alzheimer's disease." <i>Stroke</i> 25(8): 1703-4.
	C41	Garlepp, et al. (1995). "Apolipoprotein E epsilon 4 in inclusion body myositis." Ann Neurol 38(6): 957-9.
	C42	Gedde-Dahl, et al. (1984). "The locus for apolipoprotein E (apoE) is close to the Lutheran (Lu) blood group locus on chromosome 19." <i>Hum Genet</i> 67(2): 178-82.
	C43	GenBank Accession Number: A13997 (22-FEB-1994).
	C44	GenBank Accession Number: A42845 (06-MAR-1997).
	C45	GenBank Accession Number: A55548 (17-MAR-1999).
	C46	GenBank Accession Number: AAA51747 (31-OCT-1994).
	C47	GenBank Accession Number: AAK58523 (02-JUN-2001).
	C48	GenBank Accession Number: AB015050 (06-FEB-1999).
	C49	GenBank Accession Number: AB017139 (06-APR-1999).
	C50	GenBank Accession Number: AB025412 (08-MAY-1999).
	C51	GenBank Accession Number: AB040888 (22-FEB-2001).
	C52	GenBank Accession Number: AF064748 (18-JUN-1998).
	C53	GenBank Accession Number: AF263242 (02-JUN-2001).
	C54	GenBank Accession Number: AK022708 (29-SEP-2000).
	C55	GenBank Accession Number: AK024685 (29-SEP-2000).
	C56	GenBank Accession Number: BAA36169 (06-FEB-1999).
	C57	GenBank Accession Number: BAA84070 (06-SEP-1999).
	C58	GenBank Accession Number: BAB14192 (29-SEP-2000).
	C59	GenBank Accession Number: BAB72181 (23-NOV-2001).
	C60	GenBank Accession Number: BC002862 (12-JUL-2001).
	C61	GenBank Accession Number: CAA00205 (05-MAR-1993).
	C62	GenBank Accession Number: CAA00975 (26-NOV-1993).
	C63	GenBank Accession Number: CAA01607 (02-MAR-1995).
	C64	GenBank Accession Number: CAA03490 (05-MAR-1998).
	C65	GenBank Accession Number: CAC88580 (28-SEP-2001).
	C66	GenBank Accession Number: CAC88658 (28-SEP-2001).
	C67	GenBank Accession Number: I53872 (04-SEP-1998).
	C68	GenBank Accession Number: M27875 (06-MAR-1995).
	C69	GenBank Accession Number: M83670 (27-APR-1993).
	C70	GenBank Accession Number: M89902 (27-APR-1993).
	C71	GenBank Accession Number: 000744 (15-JUL-1999).
	C72	GenBank Accession Number: O60664 (20-AUG-2001).
	C73	GenBank Accession Number: P00740 (16-OCT-2001).
	C74	GenBank Accession Number: P02647 (16-OCT-2001).
1	C75	GenBank Accession Number: P07098 (16-OCT-2001).

OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS							
Exam Initials	Cite No.	Name of Author, Title (when appropriate), Publication, Volume, Page(s), Date, Etc.					
Mc	C76	GenBank Accession Number: P15568 (30-MAY-2000).					
C77		GenBank Accession Number: P22748 (16-OCT-2001).					
C78		GenBank Accession Number; P29147 (01-MAR-2002).					
	C79	GenBank Accession Number: P38571 (15-JUL-1999).					
	C80	GenBank Accession Number: P48283 (16-OCT-2001).					
	C81	GenBank Accession Number; P48284 (16-OCT-2001).					
	C82	GenBank Accession Number: P48614 (30-MAY-2000).					
	C83	GenBank Accession Number: P49085 (01-MAR-2002).					
	C84	GenBank Accession Number: P51178 (16-OCT-2001).					
	C85	GenBank Accession Number: P52895 (15-FEB-2000).					
	C86	GenBank Accession Number: P70701 (16-OCT-2001).					
	C87	GenBank Accession Number: Q02338 (01-MAR-2002).					
	C88	GenBank Accession Number: Q04828 (01-MAR-2002).					
	C89	GenBank Accession Number: Q13449 (16-OCT-2001).					
	C90						
	C91	GenBank Accession Number: Q95323 (16-OCT-2001).					
\neg	C92	GenBank Accession Number: Q98919 (16-OCT-2001).					
	C93	GenBank Accession Number: S41408 (18-JUN-1999).					
	C94	GenBank Accession Number: U05598 (20-AUG-1994).					
	C95	GenBank Accession Number: U68535 (27-NOV-2001).					
	C96	GenBank Accession Number: U81787 (05-JUL-2001).					
	C97	GenBank Accession Number: X07496 (26-APR-1993).					
	C98	GenBank Accession Number: X73889 (10-MAR-2001).					
con	C99	Gerdes, et al. (1996). "The apolipoprotein E polymorphism in Greenland Inuit in its global perspective." Hum Genet 98(5): 546-50.					
	C100	Gerdes, et al. (1992). "Apolipoprotein E polymorphism in a Danish population compared to findings in 45 other study populations around the world." <i>Genet Epidemiol</i> <u>9</u> (3): 155-67.					
		Ghiselli, et al. (1981). "Type III hyperlipoproteinemia associated with apolipoprotein E deficiency." Science 214(4526): 1239-41.					
	C102	Greenberg, et al. (1995). "Apolipoprotein E epsilon 4 and cerebral hemorrhage associated with amyloid angiopathy." <i>Ann Neurol</i> 38(2): 254-9.					
	C103	Greenberg, et al. (1998). "Association of apolipoprotein E epsilon2 and vasculopathy in cerebral amyloid angiopathy." <i>Neurology</i> <u>50</u> (4): 961-5.					
	C104	Gregg, et al. (1981). "Type III hyperlipoproteinemia: defective metabolism of an abnormal apolipoprotein E." Science 211(4482): 584-6.					
	C105	Gregg, et al. (1983). "Apolipoprotein E alleles in severe hypertriglyceridaemia." Lancet 1(8320): 353.					
	C106	Growdon, et al. (1996). "Apolipoprotein E genotype does not influence rates of cognitive decline in Alzheimer's disease." Neurology 47(2): 444-8.					
	C107	Grundemann, et al. (1994). "Drug excretion mediated by a new prototype of polyspecific transporter." Nature 372(6506): 549-52.					
	C108	Harrington, et al. (1995). "Apolipoprotein E type epsilon 4 allele frequency is increased in patients with schizophrenia." Neurosci Lett 202(1-2): 101-4.					
C10		Hazzard, et al. (1981). "Genetic transmission of isoapolipoprotein E phenotypes in a large kindred: relationship to dysbetalipoproteinemia and hyperlipidemia." <i>Metabolism</i> 30(1): 79-88.					
	C110	Holtzman, et al. (1999). "Expression of human apolipoprotein E reduc s amyloid-beta deposition in a					

OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS Exam Initials Name of Author, Title (when appropriate), Publication, Volume, Page(s), Date, Etc. mouse model of Alzheimer's disease." J Clin Invest 103(6): R15-R21. ar C111 Holtzman, et al. (2000). "Apolipoprotein E isoform-dependent amyloid deposition and neuritic degeneration in a mouse model of Alzheimer's disease." Proc Natl Acad Sci U S A 97(6): 2892-7. C112 Houlden, et al. (1998). "ApoE genotype is a risk factor in nonpresenilin early-onset Alzheimer's disease families." Am J Med Genet 81(1): 117-21. C113 Houlston, et al. (1989). "Apolipoprotein (apo) E genotypes by polymerase chain reaction and allelespecific oligonucleotide probes: no detectable linkage disequilibrium between apo E and apo CII." Hum Genet 83(4): 364-8. Humphries, et al. (1984). "The gene for apolipoprotein C-II is closely linked to the gene for apolipoprotein E on chromosome 19." Clin Genet 26(5): 389-96. Hyman, et al. (1996). "Apolipoprotein E epsilon4/4 in a neuropathologically normal very elderly individual." Arch Neurol 53(3): 215. Hyman, et al. (1995). "Quantitative analysis of senile plaques in Alzheimer disease: observation of lognormal size distribution and molecular epidemiology of differences associated with apolipoprotein E genotype and trisomy 21 (Down syndrome)." Proc Natl Acad Sci U S A 92(8): 3586-90. C117 Jagadeeswaran, et al. (1984). "Isolation and characterization of human factor IX cDNA: identification of Taq I polymorphism and regional assignment." Somat Cell Mol Genet 10(5): 465-73. C118 Jez, et al. (1997). "Comparative anatomy of the aldo-keto reductase superfamily." Biochem J 326(Pt 3): 625-36. C119 Joutel, et al. (1997). "Strong clustering and stereotyped nature of Notch3 mutations in CADASIL patients." Lancet 350(9090): 1511-5. Kamboh, et al. (1995). "APOE*4-associated Alzheimer's disease risk is modified by alpha 1-C120 antichymotrypsin polymorphism." Nat Genet 10(4): 486-8. Kashyap, et al. (1995). "Apolipoprotein E deficiency in mice: gene replacement and prevention of C121 atherosclerosis using adenovirus vectors." J Clin Invest 96(3): 1612-20. C122 Kawamata, et al. (1994). "Apolipoprotein E polymorphism in Japanese patients with Alzheimer's disease or vascular dementia." J Neurol Neurosurg Psychiatry 57(11): 1414-6. C123 Kehoe, et al. (1999). "Age of onset in Huntington disease: sex specific influence of apolipoprotein E genotype and normal CAG repeat length." J Med Genet 36(2): 108-11. C124 Kekuda, et al. (1998), "Cloning and functional characterization of a potential-sensitive, polyspecific organic cation transporter (OCT3) most abundantly expressed in placenta." J Biol Chem 273(26): 15971-9. C125 Kurosaka, et al. (1991). "Apolipoprotein E deficiency with a depressed mRNA of normal size." Atherosclerosis 88(1): 15-20. C126 Kurz, et al. (1996). "Apolipoprotein E epsilon 4 allele, cognitive decline, and deterioration of everyday performance in Alzheimer's disease." Neurology 47(2): 440-3. Kushwaha, et al. (1977). "Type III hyperlipoproteinemia: paradoxical hypolipidemic response to estrogen." Ann Intern Med 87(5): 517-25. C128 Lambert, et al. (2000). "Independent association of an APOE gene promoter polymorphism with increased risk of myocardial infarction and decreased APOE plasma concentrations-the ECTIM study." Hum Mol Genet 9(1): 57-61. C129 Lannfelt, et al. (1995). "Apolipoprotein epsilon 4 allele in Swedish twins and siblings with Alzheimer disease." Alzheimer Dis Assoc Disord 9(3): 166-9. Levine, et al. (1994). "Odd Oz: a novel Drosophila pair rule gene." Cell 77(4): 587-98. C130 C131 Levine, et al. (1997). "Expression of the pair-rule gene odd Oz (odz) in imaginal tissues." D v Dyn 209(1): 1-14. C132 L vy and Morganroth (1977). "Familial type III hyperlipoproteinemia." Ann Intern Med 87(5): 625-8. C133 Levy-Lahad, et al. (1995). "Apolipoprotein E genotypes and age of onset in early-onset familial

OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS							
Exam Initials No. Name of Author, Title (when appropriate), Publication, Volume, Page(s), Date, Etc.							
W.		Alzheimer's disease." Ann Neurol 38(4): 678-80.					
Linton, et al. (1995). "Prevention of atherosclerosis in apolipoprotein E transplantation." Science 267(5200): 1034-7.		Linton, et al. (1995). "Prevention of atherosclerosis in apolipoprotein E-deficient mice by bone marrow transplantation." Science 267(5200): 1034-7.					
	Ç135	Lippa, et al. (1995). "Apolipoprotein E genotype and Lewy body disease." Neurology 45(1): 97-103.					
	C136	Lucotte, et al. (1994). "Apolipoprotein E-epsilon 4 allele doses in late-onset Alzheimer's disease." Ann Neurol 36(4): 681-2.					
	C137	Lusis, et al. (1986). "Regional mapping of human chromosome 19: organization of genes for plasma lipid transport (APOC1, -C2, and -E and LDLR) and the genes C3, PEPD, and GPI." <i>Proc Natl Acad Sci U S A</i> <u>83</u> (11): 3929-33.					
	C138	Mabuchi, et al. (1989). "A young type III hyperlipoproteinemic patient associated with apolipoprotein E deficiency." <i>Metabolism</i> 38(2): 115-9.					
	C139	Mahley (1988). "Apolipoprotein E: cholesterol transport protein with expanding role in cell biology." Science 240(4852): 622-30.					
	C140	Marder, et al. (1994). "The apolipoprotein epsilon 4 allele in Parkinson's disease with and without dementia." Neurology 44(7): 1330-1.					
	C141	Marks, et al. (1992). "Molecular cloning and characterization of (R)-3-hydroxybutyrate dehydrogenase from human heart." <i>J Biol Chem</i> 267(22): 15459-63.					
	C142	Masliah, et al. (1995). "Neurodegeneration in the central nervous system of apoE-deficient mice." Exp. Neurol 136(2): 107-22.					
	C143	McCarron, et al. (1999). "APOE genotype as a risk factor for ischemic cerebrovascular disease: a meta-analysis." Neurology 53(6): 1308-11.					
C144 Meyer, et al. (1998). "APOE genotype predicts who Alzheimer disease." <i>Nat Genet</i> 19(4): 321-2.		Meyer, et al. (1998). "APOE genotype predicts whennot whetherone is predisposed to develop Alzheimer disease." <i>Nat Genet</i> 19(4): 321-2.					
Mui, et al. (1995). "Apolipoprotein E epsilon 4 allele is not associated with earling amyotrophic lateral sclerosis." <i>Ann Neurol</i> 38(3): 460-3.		Mui, et al. (1995). "Apolipoprotein E epsilon 4 allele is not associated with earlier age at onset in amyotrophic lateral sclerosis." <i>Ann Neurol</i> 38(3): 460-3.					
Myers, et al. (1996). "Apolipoprotein E epsilon4 association with dementia in a populatio study: The Framingham study." <i>Neurology</i> 46(3): 673-7.		Myers, et al. (1996). "Apolipoprotein E epsilon4 association with dementia in a population- based study: The Framingham study." <i>Neurology</i> 46(3): 673-7.					
Nakayama, et al. (1998). "Identification of high-molecular-weight proteins with multiple by motif-trap screening." <i>Genomics</i> <u>51</u> (1): 27-34.		Nakayama, et al. (1998). "Identification of high-molecular-weight proteins with multiple EGF-like motifs by motif-trap screening." <i>Genomics</i> <u>51(1)</u> : 27-34.					
	Nalbantoglu, et al. (1994). "Predictive value of apolipoprotein E genotyping in Alzheimer's discresults of an autopsy series and an analysis of several combined studies." <i>Ann Neurol</i> 36(6):						
	Nicoll, et al. (1995). "Apolipoprotein E epsilon 4 allele is associated with deposition of amyloid beta protein following head injury." Nat Med 1(2): 135-7.						
	Nusslein-Volhard and Wieschaus (1980). "Mutations affecting segment number and polarity in Drosophila." <i>Nature</i> 287(5785): 795-801.						
	O'Donnell, et al. (2000). "Apolipoprotein E genotype and the risk of recurrent lobar intracerebral hemorrhage." N Engl J Med 342(4): 240-5.						
	Okuda, et al. (1996). "cDNA cloning and functional expression of a novel rat kidney organic cation transporter, OCT2." Biochem Biophys Res Commun 224(2): 500-7.						
	Olaisen, et al. (1982). "The locus for apolipoprotein E (apoE) is linked to the complement compone C3 (C3) locus on chromosome 19 in man." <i>Hum Genet</i> <u>62</u> (3): 233-6.						
	C154	Olichney, et al. (1996). "The apolipoprotein E epsilon 4 allele is associated with increased neuritic plaques and cerebral amyloid angiopathy in Alzheimer's disease and Lewy body variant." Neurology 47(1): 190-6.					
	O'Malley and Illingworth (1992). "Apolipoprotein epsilon 4 and coronary artery disease." Lancet 340(8831): 1350-1.						
	C158	OMIM Accession Number: 164820 (06/02/1986).					

		OTHER PRIOR ART – NON PATENT LITERATURE DOCUMENTS				
Exam Initials	Cite No.	Name of Author, Title (when appropriate), Publication, Volume, Page(s), Date, Etc.				
w	C157	OMIM Accession Number: 600512 (05/03/1995).				
T	C158	OMIM Accession Number: 603399 (01/05/1999).				
	C159	OMIM Accession Number: 603490 (02/04/1999).				
7	C160	OMIM Accession Number: 604031 (07/20/1999).				
	C161	Ochashi, et al. (1999). "Mouse ten-m/Odz is a new family of dimeric type II transmembrane proteins expressed in many tissues." <i>J Cell Biol</i> <u>145</u> (3): 563-77.				
	C162	Osuntokun, et al. (1995). "Lack of an association between apolipoprotein E epsilon 4 and Alzheimer's disease in elderly Nigerians." <i>Ann Neurol</i> 38(3): 463-5.				
	C163	Payami, et al. (1997). "A prospective study of cognitive health in the elderly (Oregon Brain Aging Study): effects of family history and apolipoprotein E genotype." <i>Am J Hum Genet</i> 60(4): 948-56.				
	C164	Payami, et al. (1996). "Gender difference in apolipoprotein E-associated risk for familial Alzheimer disease: a possible clue to the higher incidence of Alzheimer disease in women." Am J Hum Genet 58(4): 803-11.				
	C165	Payne, et al. (1992). "Apolipoprotein epsilon 4 and coronary artery disease." Lancet 340(8831): 1350.				
	C166	Piedrahita, et al. (1992). "Generation of mice carrying a mutant apolipoprotein E gene inactivated by gene targeting in embryonic stem cells." <i>Proc Natl Acad Sci U S A</i> 89(10): 4471-5.				
	C167	Plump, et al. (1992). "Severe hypercholesterolemia and atherosclerosis in apolipoprotein E- deficient mice created by homologous recombination in ES cells." Cell 71(2): 343-53.				
	C168	Poirier (1994). "Apolipoprotein E in animal models of CNS injury and in Alzheimer's disease." <i>Trends Neurosci</i> 17(12): 525-30.				
	C169	Poirier, et al. (1993). "Apolipoprotein E polymorphism and Alzheimer's disease." <i>Lancet</i> 342(8873): 697-9.				
	C170	Poirier, et al. (1995). "Apolipoprotein E4 allele as a predictor of cholinergic deficits and treatment outcome in Alzheimer disease." Proc Natl Acad Sci U S A 92(26): 12260-4.				
	C171	Polvikoski, et al. (1995). "Apolipoprotein E, dementia, and cortical deposition of beta-amyloid protein." N Engl J Med 333(19): 1242-7.				
	C172	Raber, et al. (2000). "Apolipoprotein E and cognitive performance." Nature 404(6776): 352-4.				
	C173	Rall, et al. (1982). "Human apolipoprotein E. The complete amino acid sequence." J Biol Chem <u>257</u> (8): 4171-8.				
	C174	Rall, et al. (1982). "Structural basis for receptor binding heterogeneity of apolipoprotein E from type III hyperlipoproteinemic subjects." <i>Proc Natl Acad Sci U S A</i> 79(15): 4696-700.				
	C175	Rall, et al. (1983). "Identification of a new structural variant of human apolipoprotein E, E2(Lys146 leads to Gln), in a type III hyperlipoproteinemic subject with the E3/2 phenotype." <i>J Clin Invest</i> 72(4): 1288-97.				
	C176	Reiman, et al. (1996). "Preclinical evidence of Alzheimer's disease in persons homozygous for the epsilon 4 allele for apolipoprotein E." N Engl J Med 334(12): 752-8.				
	C177	Royston, et al. (1994). "Apolipoprotein E epsilon 2 allele promotes longevity and protects patients with Down's syndrome from dementia." <i>Neuroreport</i> 5(18): 2583-5.				
	C178	Sanan, et al. (1994). "Apolipoprotein E associates with beta amyloid peptide of Alzheimer's disease to form novel monofibrils. Isoform apoE4 associates more efficiently than apoE3." <i>J Clin Invest</i> 94(2): 860-9.				
	C179	Saunders, et al. (1993). "Apolipoprotein E epsilon 4 allele distributions in late-onset Alzheimer's disease and in other amyloid-forming diseases." <i>Lancet</i> 342(8873): 710-1.				
	C180	Saunders, et al. (1993). "Association of apolipoprotein E allele epsilon 4 with late-onset familial and sporadic Alzheimer's diseas" Neurology 43(8): 1467-72.				
	C181	hachter, et al. (1994). "Genetic associations with human longevity at the APOE and ACE loci." Nat inet 6(1): 29-32.				

Ev-		Cite	OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS				
Exam Initials		No.	Name of Author, Title (when appropriate), Publication, Volume, Page(s), Date, Etc.				
S	C182		Schaefer, et al. (1986). "Familial apolipoprotein E deficiency." J Clin Invest 78(5): 1206-19.				
		C183	Scherer, et al. (1998). "Cloning of cell-specific secreted and surface proteins by subtractive antibody screening." Nat Biotechnol 16(6): 581-6.				
		C184	Schneider, et al. (1981). "Familial dysbetalipoproteinemia. Abnormal binding of mutant apoprotein E to low density lipoprotein receptors of human fibroblasts and membranes from liver and adrenal of rats, rabbits, and cows." <i>J Clin Invest</i> 68(4): 1075-85.				
		C185	Slooter, et al. (1996). "APOE genotyping in differential diagnosis of Alzheimer's disease," <i>Lancet</i> 348(9023): 334.				
		C186	Smit, et al. (1987). "Familial dysbetalipoproteinemic subjects with the E3/E2 phenotype exhibit an E2 isoform with only one cysteine residue." Clin Genet 32(5): 335-41.				
		C187	Smit, et al. (1990). "Genetic heterogeneity in familial dysbetalipoproteinemia. The E2(lys146gln) variant results in a dominant mode of inheritance." <i>J Lipid Res</i> 31(1): 45-53.				
		C188	Spring, et al. (1989). "Two contrary functions of tenascin: dissection of the active sites by recombinant tenascin fragments." Cell 59(2): 325-34.				
		C189	St Clair, et al. (1995). "Apolipoprotein E epsilon 4 allele is a risk factor for familial and sporadic presentle Alzheimer's disease in both homozygote and heterozygote carriers." <i>J Med Genet</i> 32(8): 642-4.				
		C190	St Johnston and Nusslein-Volhard (1992). "The origin of pattern and polarity in the Drosophila embryo." Cell 68(2): 201-19.				
		C191	Strittmatter, et al. (1993). "Apolipoprotein E: high-avidity binding to beta-amyloid and increased frequency of type 4 allele in late-onset familial Alzheimer disease." <i>Proc Natl Acad Sci U S A</i> 90(5): 1977-81.				
		C192	Sullivan, et al. (1997). "Targeted replacement of the mouse apolipoprotein E gene with the common human APOE3 allele enhances diet-induced hypercholesterolemia and atherosclerosis." <i>J Biol Chem</i> 272(29): 17972-80.				
$\dashv \dashv$		C193	SWALL (SPTR) Accession Number: 007854 (1-JUL-1997).				
		C194	SWALL (SPTR) Accession Number: O09125 (1-JUL-1997).				
_		C195	SWALL (SPTR) Accession Number: O14546 (1-JAN-1998).				
-++		C196	SWALL (SPTR) Accession Number: O14567 (1-JAN-1998).				
		C197	SWALL (SPTR) Accession Number: O88278 (1-NOV-1998).				
-		C198	SWALL (SPTR) Accession Number: O88492 (1-NOV-1998).				
	П	C199	SWALL (SPTR) Accession Number: P79753 (1-MAY-1997).				
	П	C200	SWALL (SPTR) Accession Number: Q14316 (1-NOV-1996).				
	П	C201	SWALL (SPTR) Accession Number: Q16529 (1-OCT-1994).				
	П	C202	SWALL (SPTR) Accession Number: Q60450 (1-NOV-1996).				
		C203	SWALL (SPTR) Accession Number: Q62192 (1-JUN-1998).				
Cz		C204	SWALL (SPTR) Accession Number: Q91ZI0 (1-DEC-2001).				
		C205	SWALL (SPTR) Accession Number: Q92038 (1-JAN-1999).				
		C206	SWALL (SPTR) Accession Number: Q923L4 (1-DEC-2001).				
		C207	SWALL (SPTR) Accession Number: Q95JH6 (1-DEC-2001).				
		C208	SWALL (SPTR) Accession Number: Q95ND7 (1-DEC-2001).				
C209		C209	SWALL (SPTR) Accession Number: Q96A71 (1-DEC-2001).				
C2		C210	SWALL (SPTR) Accession Number: Q96EJ0 (1-OCT-1994).				
$\overline{}$		C211	SWALL (SPTR) Accession Number: Q96ET1 (1-DEC-2001).				

OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS Exam Cite Name of Author, Title (when appropriate), Publication, Volume, Page(s), Date, Etc.

Initials		No.	Name of Author, Title (when appropriate), Publication, Volume, Page(\$), Date, Etc.				
opt		C212	SWALL (SPTR) Accession Number: Q96FL6 (1-DEC-2001).				
		C213	SWALL (SPTR) Accession Number: Q96J84 (1-DEC-2001).				
		C214	SWALL (SPTR) Accession Number: Q96JD6 (1-DEC-2001).				
		C215	SWALL (SPTR) Accession Number: Q96JG0 (1-DEC-2001).				
		C216	SWALL (SPTR) Accession Number: Q96M90 (1-DEC-2001).				
		C217	SWALL (SPTR) Accession Number: Q96Q06 (1-DEC-2001).				
		C218	SWALL (SPTR) Accession Number: Q96RU0 (1-DEC-2001).				
		C219	SWALL (SPTR) Accession Number: Q96WU8 (1-DEC-2001).				
		C220	SWALL (SPTR) Accession Number: Q98MG7 (1-OCT-2001).				
		C221	SWALL (SPTR) Accession Number: Q98MG8 (1-OCT-2001).				
		Ç222	SWALL (SPTR) Accession Number: Q99467 (1-JUN-1998).				
		C223	SWALL (SPTR) Accession Number: Q99R75 (1-JUN-2001).				
		C224	SWALL (SPTR) Accession Number: Q9BRZ4 (1-JUN-2001).				
		C225	SWALL (SPTR) Accession Number: Q9BS03 (1-JUN-2001).				
		C226	SWALL (SPTR) Accession Number: Q9BU71 (1-JUN-2001).				
		C227	SWALL (SPTR) Accession Number: Q9D5Z0 (1-JUN-2001).				
		C228	SWALL (SPTR) Accession Number: Q9D8L2 (1-JUN-2001).				
		C229	SWALL (SPTR) Accession Number: Q9DBG5 (1-JUN-2001).				
		C230	SWALL (SPTR) Accession Number: Q9DCT1 (1-JUN-2001).				
	Ш	C231	SWALL (SPTR) Accession Number: Q9DER5 (1-MAR-2001).				
	Ш	C232	SWALL (SPTR) Accession Number: Q9H9N1 (1-MAR-2001).				
	Ш	C233	SWALL (SPTR) Accession Number: Q9HCU4 (1-MAR-2001).				
	Ш	C234	SWALL (SPTR) Accession Number: Q9JLC1 (1-OCT-2000).				
		C235	SWALL (SPTR) Accession Number: Q9M608 (1-OCT-2000).				
		C236	SWALL (SPTR) Accession Number: Q9NVA5 (1-OCT-2000).				
	Ш	C237	SWALL (SPTR) Accession Number: Q9NYQ7 (1-OCT-2000).				
		C238	SWALL (SPTR) Accession Number: Q9P273 (1-OCT-2000).				
	Ш	C239	SWALL (SPTR) Accession Number: Q9PU86 (1-MAY-2000).				
	\sqcup	C240	SWALL (SPTR) Accession Number: Q9PW15 (1-MAY-2000).				
	\sqcup	C241	SWALL (SPTR) Accession Number: Q9R0M0 (1-MAY-2000).				
		C242	SWALL (SPTR) Accession Number: Q9R1K2 (1-MAY-2000).				
		C243	SWALL (SPTR) Accession Number: Q9UJ10 (1-MAY-2000).				
		C244	SWALL (SPTR) Accession Number: Q9W6V1 (1-NOV-1999).				
		C245	SWALL (SPTR) Accession Number: Q9W6V2 (1-NOV-1999).				
		C246	SWALL (SPTR) Accession Number: Q9W7R4 (1-NOV-1999).				
	\sqcup	C247	SWALL (SPTR) Accession Number: Q9WTS6 (1-NOV-1999).				
	\sqcup	C248	SWALL (SPTR) Accession Number: Q9WTS7 (1-NOV-1999).				
		C249	SWALL (SPTR) Accession Number: Q9YGM2 (1-MAY-1999).				
		C250	SWALL (SPTR) Accession Number: Q9Z0J8 (30-MAY-2000).				

OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS Name of Author, Title (when appropriate), Publication, Volume, Page(s), Date, Etc. Initials on SWALL (SPTR) Accession Number: Q9Z1B4 (1-MAY-1999). C251 Tabaton, et al. (1995). "Apolipoprotein E epsilon 4 allele frequency is not increased in progressive C252 supranuclear palsy." Neurology 45(9): 1764-5. C253 Talbot, et al. (1994). "Protection against Alzheimer's disease with apoE epsilon 2." Lancet 343(8910): 1432-3. Tamai, et al. (1997). "Cloning and characterization of a novel human pH-dependent organic cation C254 transporter, OCTN1." FEBS Lett 419(1): 107-11. Tang, et al. (1996). "Relative risk of Alzheimer disease and age-at-onset distributions, based on APOE C255 genotypes among elderly African Americans, Caucasians, and Hispanics in New York City." Am J Hum Genet 58(3): 574-84. Tomimoto, et al. (1995). "Immunohistochemical study of apolipoprotein E in human cerebrovascular C256 white matter lesions." Acta Neuropathol 90(6): 608-14. Usui, et al. (1999). "Flamingo, a seven-pass transmembrane cadherin, regulates planar cell polarity C257 under the control of Frizzled." Cell 98(5): 585-95. Utermann, et al. (1979). "Polymorphism of apolipoprotein E. III. Effect of a single polymorphic gene C258 locus on plasma lipid levels in man." Clin Genet 15(1): 63-72. C259 Utermann, et al. (1980), "Genetics of the apolipoprotein E system in man." Am J Hum Genet 32(3): 339-47. C280 van Bockxmeer and Mamotte (1992). "Apolipoprotein epsilon 4 homozygosity in young men with coronary heart disease." Lancet 340(8824): 879-80. C261 van Gool, et al. (1995). "A case-control study of apolipoprotein E genotypes in Alzheimer's disease associated with Down's syndrome. Dutch Study Group on Down's Syndrome and Ageing." Ann Neurol 38(2): 225-30. van Ree, et al. (1995). "Inactivation of Apoe and Apoc1 by two consecutive rounds of gene targeting: effects on mRNA expression levels of gene cluster members." Hum Mol Genet 4(8): 1403-9. Vogel, et al. (1985). "Human apolipoprotein E expression in Escherichia coli: structural and functional identity of the bacterially produced protein with plasma apolipoprotein E." Proc Natl Acad Sci U S A 82(24): 8696-700. C264 Wang, et al. (1998). "Identification of novel stress-induced genes downstream of chop." Embo J 17(13): 3619-30. Wang, et al. (2000). "Functional analysis of mutations in the OCTN2 transporter causing primary C265 carnitine deficiency: lack of genotype-phenotype correlation." Hum Mutat 16(5): 401-7. Wardell, et al. (1989). "Apolipoprotein E3-Leiden contains a seven-amino acid insertion that is a C266 tandem repeat of residues 121-127." J Biol Chem 264(35): 21205-10. C267 Weisgraber, et al. (1981). "Human E apoprotein heterogeneity. Cysteine-arginine interchanges in the amino acid sequence of the apo-E isoforms." J Biol Chem 256(17): 9077-83. C268 Weisgraber, et al. (1982). "Abnormal lipoprotein receptor-binding activity of the human E apoprotein due to cysteine-arginine interchange at a single site." J Biol Chem 257(5): 2518-21. Whelan (1996). "Selectin synthesis and inflammation." Trends Biochem Sci 21(2): 65-9. C269 C270 Wiebusch, et al. (1999). "Further evidence for a synergistic association between APOE epsilon4 and BCHE-K in confirmed Alzheimer's disease." Hum Genet 104(2): 158-63. C271 Wootton and Federhen (1996), "Analysis of compositionally biased regions in sequence databases." Methods Enzymol 266: 554-71. C272 Wu, et al. (1998). "cDNA sequence, transport function, and genomic organization of human OCTN2, a new member of the organic cation transporter family." Biochem Biophys Res Commun 246(3): 589-95. C273 Yoshizawa, et al. (1994). "Dose-dependent association of apolipoprot in E allele epsilon 4 with lat onset, sporadic Alzheimer's disease." Ann Neurol 36(4): 656-9. C274 Zannis, et al. (1981). "Human apolipoprotein E isoprotein subclasses are gi netically determined." Am



	OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS				
Exam Initials		Cite No.	Name of Author, Title (when appropriate), Publication, Volume, Page(s), Date, Etc.		
W	- 1		J Hum Genet <u>33(1)</u> : 11-24.		
C		C275	Zhang, et al. (1997). "Cloning and functional expression of a human liver organic cation transporte Mol Pharmacol 51(6): 913-21.		
		C276	Zhang, et al. (1992). "Spontaneous hypercholesterolemia and arterial lesions in mice lacking apolipoprotein E." Science 258(5081): 468-71.		
		C277	Zinszner, et al. (1998). "CHOP is implicated in programmed cell death in response to impaired function of the endoplasmic reticulum." <i>Genes Dev</i> <u>12</u> (7): 982-95.		

Serial No.	is reference is not provided as it was previou filed, filed	isly cited by or submitted to the office in a prior application,, and relied upon for an earlier filing date under visional applications).		
Examiner Signature	Cleur	Date Considered	11/06/03	

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered.

Include copy of this form with next communication to applicant.

TRA 1653678v1